



# **TRANS-CARE RESCUE LTD.**

**1-800-71-RESCU**

**[www.trans-carerescue.com](http://www.trans-carerescue.com)**



## ABOUT US

Trans-Care Rescue Ltd. offers a wide range of confined space, embankment, ice rescue, water rescue, vehicle extrication, trench rescue, fire, technical rope rescue and other safety related equipment, as well as personal protective gear.

In addition, we offer courses in each of these areas to ensure that you have a thorough knowledge of the equipment and how it operates.

## TRAINING FACILITY

Located right off Highway 16 in Langham SK, our training facility can accommodate a variety of class sizes and technical training scenarios. Training can be booked at our facility or we can come to you. For more information contact: [reception@trans-carerescue.com](mailto:reception@trans-carerescue.com)

## STAFF THAT CARES

We are proud volunteers of local fire departments, sports teams and community events. We are passionate about what we do and pride ourselves on our industry, knowledge and friendly customer care.

## FIND US ONLINE





We are a leading supplier of Rescue Equipment in Western Canada. Trans-Care Rescue Ltd. is one of the few suppliers in Canada who carry an extensive inventory of products and parts.

<b>New Products</b>	<b>3</b>
<b>Firefighting</b>	<b>4</b>
<b>Vehicle Extrication</b>	<b>8</b>
<b>AMKUS Rescue Systems</b>	<b>10</b>
<b>Rescue Equipment</b>	<b>11</b>
<b>Ice &amp; Water Rescue</b>	<b>14</b>
<b>Traffic Safety</b>	<b>17</b>
<b>Lighting</b>	<b>19</b>
<b>Training</b>	<b>21</b>



Vehicle Extrication Training, Heavy Rescue



Confined Space Rescue Training



Trench Rescue Training

# **TRANS-CARE RESCUE LTD.**

225 Service Road West  
P.O. Box 559  
Langham, SK S0K 2L0  
Toll Free: 1-800-717-3728



# NEW PRODUCTS



## UNIVERSAL SPANNER WRENCH

- For 3/4" to 3" pin lug and rocker lug couplings
- Includes gas cock shutoff, pry bar and belt hook eye
- Overall length: 11-7/8"



## HEAVY DUTY ADJUSTABLE HYDRANT WRENCH

- For pentagon hydrant nuts up to 1-3/4" from point to flat
- Notched to fit 1-1/4" square hydrant nut
- Spanner for pin lug and rocker lug couplings (1.5" thru 6")
- Plated iron head, 7/8" plated steel handle
- Overall length: 18"

## FIRE HOSE FITTINGS

Shown Below: Adapters - Rocker Lug



Fire Fittings, Couplings, Hose, Gated Wye's, Hydrant Gates, Nozzles, Wrenches & More!



### LOW PRESSURE NOZZLES

- Selectable gallonage with multiple flow settings up to 150 gpm
- Low pressure, 75 PSI minimizes fire fighter fatigue and pressure on pumps
- Flow pattern change via an efficient 120° turn of bumper
- Stainless steel ball enables shut off handle to work smoothly
- Lightweight aluminum construction
- All nozzles include pistol grip



### SELECT FLOW NOZZLES

- Selectable gallonage nozzle with multiple flow settings
- Stainless steel spinning teeth
- Straight stream to wide fog and flush without shutting down
- Multiple pattern detents for positive positioning
- Wide fog for maximum operator protection
- All nozzles include pistol grip



### AUTOMATIC FLOW NOZZLES

- Durable lightweight alloy design
- Slide valve control
- Straight stream to wide fog without shutting off
- Permanent anodized aluminum indicator bands
- Metal horse shoe handle
- Molded fixed teeth for fog
- All nozzles include pistol grip



EMAIL OUR SALES TEAM FOR PRICING INFO: [SALES@TRANS-CARERESCUE.COM](mailto:SALES@TRANS-CARERESCUE.COM)



## ➤ B1 OSX® TURNOUT COAT

- Plastic Delrin® YKK® Zipper/Velcro® Closure
- Easy Grip™ DRD
- Set-In Pleated Ergonomically Curved Sleeves
- Black Stedshield Coat Cuff Reinforcements (Double Stitched)
- Self Mic Strap above Radio Pocket
- Universal Flashlight Holder
- 2" x 8" x 8" Coat Expansion Pockets with Handwarmer
- Liner Inspection Velcro® Opening
- Customization is available
- **Certified to NFPA 1971-2018 standard**



## ➤ B1 OSX® TURNOUT COAT

- Low-Rise Waist Design with small 3" Rear Bib for Overlap Protection
- Side Take-Up Straps with low-profile High Temp Delrin Sliders for easy adjustment
- Pant Closure: Hook & Dee, Snap with Velcro® Fly Closure
- 2" x 10" x 10" Pant Expansion Pocket lined with Kevlar® Twill
- Black Stedshield Double Padded Knees with Side Kick Extension Panel
- Reverse Boot Cut
- Black-Ops Multi Adjust Suspenders
- **Certified to NFPA 1971-2018 standard**

## ➤ B1 OSX® COLOR OPTIONS



KHAKI

GOLD

BLACK



### THE X2

Structural firefighting glove that offers extreme dexterity with no sacrifice to protection. Excellent resistance to cuts, rips and abrasions.



### FIRST DUE RESCUE GLOVE

Thermal liner is flame, cut, puncture and abrasion resistant. TPP rating of 8 adds additional flash protection. Features a strategic wear pad on well of thumb and index finger.



### BBP RESCUE GLOVE

This glove is finished with a double stitched high dexterity shell, high visibility retro-reflective markings, thermal liner and pathogen barrier.



# FIREFIGHTING



## ▶ LT SERIES STRUCTURAL FIRE HELMET




- High-heat thermoplastic outer shell
- Sure-Lock® ratchet headband and 12 comfort settings
- Nomex® chinstrap with quick-release buckle
- Rip-stop Nomex® ear/neck protector
- Leather ratchet cover
- Removable fire-resistant, absorbent cotton brow pad
- Optional Quick-Attach face shield or goggle system
- **Certified to NFPA 1971-2018 standard**

COLOR OPTIONS:  BLACK  WHITE  RED  ORANGE  YELLOW  BLUE  LIME YELLOW



## ▶ WILDLAND SERIES FIRE HELMET

- Easy to adjust Flex-Gear® ratchet sizing suspension
- Thermoplastic shell offers superior impact and penetration protection
- Available in cap style or full brim hat style
- Three goggle clips and Velcro® attachments inside shell
- Adjustable chinstrap and offers comfortable 6-point suspension
- Absorbent cotton brow pad
- **Meets NFPA 1977 specifications**

COLOR OPTIONS:  BLACK  WHITE  RED  ORANGE  YELLOW  BLUE  LIME YELLOW  DOVE GRAY



## ▶ UST™ LW TRADITIONAL STYLE FIRE HELMET

- Made for high impact and high heat resistance
- U-Fit helmet headband system offers 36 adjustment settings
- Removable components allow for easy cleaning and decontamination
- Custom leather front option available
- Integrated visor option accommodates eyewear and features a simple one-handed operation
- **Exceeds NFPA 1971 Standard on Protective Ensemble for Structural Firefighting**

COLOR OPTIONS:  BLACK  WHITE  RED  YELLOW



## ▶ PBI PAC II HOOD

- Notched shoulder bib for contoured fit
- Long bib design means less fabric stretch (Length: 21")
- Most popular style of structural fire fighting hood
- Maintains protective properties after washing
- Color availability: Light Brown
- Certified to meet NFPA 1971 - 2018 standards





## ➤ HELLFIRE™ FELT INSULATED RUBBER BOOT

- Flame-/heat-resisting rubber
- Waterproof
- Removable Superknit covered, polyurethane foot bed
- Steel Triple-rib Ladder shank
- Stainless steel puncture-resisting bottom plate and Hellfire traction lug sole
- Abrasion-resisting rubber T-toe
- Vulcanized construction
- **Certified to meet NFPA 1971 structural, NFPA 1992 splash over hazmat & CSA Z195-14 Edition 7**



## ➤ QR14™ STRUCTURAL LEATHER BOOT

- GORE® CROSSTECH® triple-layer moisture barrier protects against bloodborne pathogens
- Waterproof, flame- and cut-resisting leather upper with abrasion-resisting rubber toe
- Steel Triple-rib Ladder Shank
- Extra padding in the shin and ankle protects you from ladder rungs and other impacts
- Proprietary Traction Flex outsole
- Cement Construction
- **Certified to meet NFPA 1971 structural & CSA Z195-14 Edition 7**



## ➤ KNOCKDOWN ELITE™ 14" LEATHER BOOT

- Waterproof, flame-resisting leather upper with abrasion-resisting rubber toe & heel protection
- Removable dual-density polyurethane insole
- Lenzi L-Protection® flexible, non-metallic, puncture-resisting insole
- Steel triple-rib ladder shank
- Exclusive Vibram® ATS sole with Fire & Ice technology
- Cement construction
- **Meets ASTM F2413-11, NFPA 1971 structural, NFPA 1992 splash over hazmat & CSA Z195 Edition 7**

## STAY SAFE ON SCENE WITH THESE TOOLS



### ELECTRICAL HOTSTICK

Provides warning of exposed high voltage AC from a safe distance. The warning signal (beeps and LED flashes) becomes more rapid as the HotStick approaches the source, allowing for quick detection of dangerous voltages.



### GX-3R PRO GAS MONITOR

Simultaneously monitors and displays 5 different gases. In addition to monitoring standard confined space gases (LEL, O2, CO, & H2S) the GX-3R Pro has a 5th channel where you can add infrared or toxic gas sensors, such as Hydrogen Cyanide (HCN) for dangers present during salvage/overhaul



# FIREFIGHTING

**Snap-tite**  
HOSE



**N-DURA (NP) HOSE**  
NYLON DOUBLE JACKET ATTACK HOSE



**HFX LDH**  
EXTRUDED NITRILE RUBBER ATTACK/SUPPLY HOSE



**8D HOSE**  
POLYESTER DOUBLE JACKET SUPPLY HOSE

Contact us for Hose ID, Length, Coupling Size & Color Options

**KOCHER**



## ▶ LOW LEVEL STRAINER

- Lightweight aluminum alloy
- Drafts down to 2" from bottom
- Pivoting adjustable elbow
- Base pan design has additional side walls eliminating tank damage
- Meets NFPA Standard
- Female Threaded Standard



## ▶ 09K SMALL STRAIGHT GATE

- Ideal for use in hose testing and on hydrants, stand pipes and pumps
- Non rising stem with crank handle
- Less than nine turns to open and close
- Metal to metal set
- Lightweight durable aluminum body construction, powder coated for corrosion resistance



## ▶ SUCTION HOSE PVC LONG HANDLE

- UV protection designed into the hose
- A smooth bore for unrestricted flow
- Flexibility from 65 C° to -40 C°
- Retains a quality wall thickness from 3" to 6" ID



## ▶ 12K GATE VALVES STRAIGHT

- Extension: 8 1/2"
- Size: 15" H x 8" W
- Weight: 22 lbs.
- Aluminum body and anodized aluminum gate

**Motis**



## POCKET ORGANIZER

- Stores tools for quick and easy access
- Compact way to organize tools in your pockets
- Made of durable 600D Nylon fabric
- Features a removable velcro flap and webbing handle

**CHANNEL LOCK**



## 87 9-INCH RESCUE TOOL

- Fits securely in bunker pockets
- Narrow jaw profile fits in tight spots
- Standard battery cables are no match for its cutting power
- Hardened cutting edges shear through soft metal
- Spanner wrench tightens and loosens up to 5" hose couplings
- Pries open windows and doors
- Shuts off gas safety valves



# VEHICLE EXTRICATION

## MULTIFORCE AIR LIFTING BAG REMOTE PLACEMENT

- Lift height of 26 inches
- Lift capacity of 31 tons
- Remote lifting base keeps personnel safely away from the load when positioning the MultiForce Air Lifting Bag
- Dual stage lifting feature keeps the load stable through the lift
- Built-in internal safety relief valve
- Remote lifting base doubles as a storage device, keeping the bag safe and making it extremely easy to store



## SUPPORTER X2 VEHICLE STABILIZER

- Maximum load up to 10,000 lbs/ 4535 kg
- Threaded strut extends to 65.4" with a simple twist lock collar
- With the attached extension, the shore can reach up 95.4"
- Integrated ratchet belt with auto-rewind & belt heat shield
- ABS ratchet function and double ratchet hooks
- 90 degree fold flat base for easy storage
- Weight: 35 lbs



## SPF HOOLIGAN HANDHELD FORCIBLE ENTRY TOOL

- Single piece forged (SPF)
- Recessed nail puller type claw
- Cable groove at the rear of the tool head
- Parallel opening for gas valve shut-offs, locks & hasps
- Long, sharp, & tapered pike to break a lock or latch
- Thinnest claw on the market designed for better wedging

## PARATECH INTERSTATE/MOTORWAY VEHICLE STABILIZATION KIT

- Maximum load up to 120,000 lbs./ 54,534 kg
- Designed to stabilize multiple industrial or commercial vehicles in complex collision scenarios

### KIT INCLUDES:

- (x2) LongShore Strut 304 (36 - 50 in.)
- (x2) LongShore Strut 406 (48 - 73 in.)
- (x2) LongShore Strut 610 (72 - 116 in.)
- (x3) LongShore 235 Extension (24 in.)
- (x3) LongShore 435 Extension (48 in.)
- (x4) V Base
- (x4) Contour Base
- (x4) Multi-Base
- (x6) Hinges Base Plate w/ Anchor Ring (12 in.)
- (x2) Chain 20' x 3/8" - grade 100
- (x6) Ratchet Belt w/ Finger Hook (27 ft.)
- (x4) Tie Down Keys w/ J Hook
- (x2) Non Slip Neoprene Pad



**\*\*PARATECH PRODUCTS THROUGH TRANS-CARE RESCUE ARE ONLY AVAILABLE IN SASKATCHEWAN & MANITOBA\*\***



TRANS-CARE RESCUE: 1-800-71-RESCU

# VEHICLE EXTRICATION

RESCUE 42



## TELECRIB® STRUTS

- No couplings, twist locks – just slide out and pin it
- 18,000 lb max working load
- 2:1 safety factor
- Removable Base Plate articulates 180°, accepts ratchet strap hooks or picket
- Safety interlock system prevents over-extension of strut tubes
- Universal Combi-head with piercing point, 3/8" chain slot, and 2x4 / 2x6 center support with nail holes
- Large, yellow, glove friendly pins



## TELECRIB® STRUT JACK

- A removable 8,000 lbs jack which fits over the strut body and gives the rescuer a controlled means for lifting or lowering a load.
- 15" range to raise or lower the entire extension of both strut sizes by pinning the strut and resetting the jack
- Because it is removable, it can be moved from strut to strut as needed
- Features a base hole to convert Strut into a Ram
- Compact for easy storage




### THE BELUGA, GLASS CUTTER

- Designed to quickly cut laminated safety glass used in automobile windshields, side windows, rear safety glass, and hurricane glass
- Can cut laminated high-rise glass up to 9mm thick
- The connected drill and cutting head can swivel so you can steer around obstructions
- Attaches to any 3/8" - 1/2" drill
- Cut an entire windshield out in less than a minute!



### THE LARGE SHARK™

- Vehicle stabilization tool for rescue crews that regularly use step cribbing
- 16.5" tall; it can stabilize most high clearance vehicles
- Can be used upside down as a wedge anchor
- Functions as a wheel chock
- Positive grip teeth bite into boards, rocker panels and road surfaces
- Collapsible & stackable for compact storage and easy handling



### O-PLATE™ JUNIOR

- Multipurpose extrication tool used for vehicle stabilization and hydraulic tool support
- Protects against rocker panel collapse
- Acts as a wheel pull/edge protector
- Provides wheel traction for winching
- Can be used as a lift jack extender or base
- 3:1 safety factor
- Rated pulling strength: 8,000 lbs.
- Lifetime warranty

# AMKUS RESCUE SYSTEMS



## ION iC750 CUTTER

- Solid aluminum tool body to withstand the severe duty of fire and rescue situations
- Cutter blades and center bolt design allow access to difficult cuts
- Rotating handle allows the tool to be easily repositioned
- Status LEDs offer user feedback on the tool status
- Center positioning of the battery and controls provides better protection, operator safety and maneuverability
- 4-stage pump provides amazing speed under both loaded and unloaded conditions
- Powered by a DEWALT® Flexvolt 60V battery
- Cutter Opening: 7"
- Cutter Rating: A8/B9/C7/D9/E9/F4

**OPERATIONAL DOWN TO -32°C**

**CONTACT US FOR A DEMO  
SALES@TRANS-CARERESCUE.COM**



## ION iS320 32" BATTERY SPREADER

- A powerful multi-use spreader
- Includes removable AMKUS Gator Tips for a reliable grip that won't rip sheet metal
- Extended Reach Tips (ERT) increase the spread by an additional 8" without significant loss of power
- Gator Tips and ERT's utilize a push button release, so they're easy to install or remove- even with gloved hands
- High Intensity LED lights located in the handle
- 4-stage pumps provide amazing speed under both loaded and unloaded conditions
- Powered by a DEWALT® Flexvolt 60V battery
- Max Spreading Distance: 40" with ERT Tips
- Max Spreading Force: 39,500 lbs.



## ION iCT716 COMBI TOOL

- A compact, all-metal body combination rescue tools that combines the capabilities of a cutter and spreader
- Rotating handle allows tool to be repositioned with minimal effort
- All AMKUS tools are operable down to -30° C
- Powered by a DEWALT® Flexvolt 60V battery that can be shared with other tools as needed.
- High Intensity LED lights located in the handle for increased visibility
- Cutter Opening: 13.8"
- Max Spreading Distance: 15.6"
- Max Spreading Force: 320,000 lbs.

**EMAIL OUR SALES TEAM FOR PRICING INFO: SALES@TRANS-CARERESCUE.COM**



**TRANS-CARE RESCUE: 1-800-71-RESCU**

# RESCUE EQUIPMENT

Seek  
thermal



## ➤ ATTACK PRO THERMAL IMAGING CAMERA

- 320 x 240 High- resolution sensor; enhanced clarity and colorization displayed at 25Hz
- High impact and heat resistant; can operate up to 260° C (500° F)
- Includes the camera, two removable batteries and a charging dock
- Features a 300 lumen LED flashlight
- Long lasting rechargeable battery that offers greater than 6 hours of continuous thermal imaging
- Detection distance range of 12" to 1000 ft.
- Find the seat of the fire and make decisions faster when every second counts. See through smoke, visualize your plan, and execute.



## ➤ FIREPRO X THERMAL IMAGING CAMERA

- 3 color modes (Fire, Survey and Color)
- Capture and save thermal images directly to the internal 4GB memory
- Up to 3.5 hours of continuous thermal imaging
- Waterproof sealed housing and secure magnetic charge port for foolproof connection
- Can operate in temperatures of -20° C to 107° C
- Wide, 32 degree field of view
- Features a built-in 300 lumen LED flashlight

GRAB IT,  
USE IT,  
LET IT GO



## SEEK THERMAL RETRACTOR

Retractor features a 28" extension and large heavy duty snap clip for attachment to firefighter turnout gear.



## ➤ ORIGINAL BADAXX

- Length: 30" or 34"
- Weight: 8 lbs
- Made from hardened 4150 tool steel, the 4.5" pick can quickly be driven into most materials, providing an immediate extra foot hold during emergency operations.
- The handle has been machined to include two styles of hydrant wrenches necessary to quickly open and close standard fire hydrants.
- The hole provided at the end of the handle allows you to easily attach a safety rope for rappelling and bailout operations.
- Handle is ergonomically shaped for a more natural swing.



## ➤ BADAXX T<sup>2</sup> OFFICER'S TACTICAL TOOL

- Length: 16.5"
- Weight: 3.5 lbs
- 4" cutting blade
- Features A-type lock pulling claw, 4" sharp cutting blade, gas shut-off/load attachment point, and a pry end handle for forcible entry.
- There are a series of holes in the handle specifically designed for individual braking resistance during bailout/belaying maneuvers.



# RESCUE EQUIPMENT



## ➤ USAR MISSION BACKPACK

- Two divided main compartments offer storage for at least a 72 hour mission
- Rugged carrying handle
- Features an exterior pocket for helmet or rain gear and attached stowable shoulder straps
- Easily attached with four spring clips to any Wolfpack Gear harness



## ➤ LOAD BEARING HARNESS

- Abrasion Resistant Cordura
- 102 oz. CamelBak Hydraton Bladder
- Features five storage pockets, flashlight restraint, waterproof zippers and glow-stick clip
- High visibility reflective striping
- Attach USAR backpack for larger load-outs
- Sized to fit 32" - 42" waist



## ➤ 3 LAYER TRAUMA BLANKET

- Large survival blanket with self adhesive closure
- Provides the total warmth and weather protection, reducing shock and guarding against the risk of hypothermia in all conditions.
- Can easily be re-opened for examination of the casualty or medical intervention.
- Re-usability: blankets can be re-used many times without loss of performance.



## ➤ BLIZZARD TRANSPORT CLS

- Disposable litter with 2-layer blanket
- High performance insulating blanket is attached to a carry litter for rapid evacuation
- Features 8 handles for an easy lift
- Can be used with oxygenated head pads to aid warming process for casualties with hypothermia (sold separately)

## ➤ RESPONDER WIPES

- Formulated with Micellar Water, an innovative ingredient with cleansing compounds that dissolve dirt, oil, soot, and other hydrocarbons
- Micelles gently lift away toxins & contaminants; draws out impurities from pores while hydrating your skin
- 3-year shelf life



## ➤ BIO CLEANZ

- Broad-spectrum disinfectant with a 99.9999% efficacy
- All-purpose, multi-surface cleaner
- Fragrance-free, hypo-allergenic and gentle formulation
- Breaks apart the molecular structure of smoke, fumes and many chemical vapors
- Not harmful to you, your environment, or your equipment



# RESCUE EQUIPMENT



## ▶ AVAO® BOD FAST HARNESS

- Certifications: ANSI Z359.11, NFPA 1983 class III, CSA Z259.10
- The AVAO BOD FAST fall-arrest, work positioning and suspension harness is designed for greater comfort in all situations
- Wide, semi-rigid waist belt and leg loops provide excellent support
- Lightweight, breathable construction maximizes air flow
- Waist belt and shoulder straps equipped with self-locking DOUBLEBACK buckles for quick and easy adjustment
- Leg loops equipped with FAST buckles for quick and easy fastening and unfastening without loss of adjustment, even while wearing gloves



## ▶ VERTEX® CANADA VERSION

- Very comfortable, thanks to its six-point textile suspension, which adapts perfectly to the shape of the head
- CENTERFIT feature allows perfect centering of the helmet on the head, thanks to its two side adjustment wheels
- Adjustable-strength chinstrap makes it ideal for both work at height and on the ground.
- Shock absorption achieved through deformation of the outer shell
- Unventilated outer shell protects against electrical hazards, molten metal splash and flames
- Fits head circumference of 53 - 63 cm



**MAESTRO S & L**  
Descender for Technical Rescue



**SPIN L2**  
Very High-Efficiency  
Double Pulley with Swivel



**ASAP LOCK**  
Mobile Fall Arrester  
with Locking Function



**WILLIAM**  
Lightweight Asymmetrical  
Large-Capacity Carabiner



**TWIN RELEASE**  
Releasable Double Progress  
Capture Pulley for Haul System



## ▶ 1/2" HTP STATIC ROPE

- Super-durable, low-stretch rope features a unique sheath construction that inhibits picking and stays firm for effective handling despite the load
- Its strength and durability make it a great choice for specialized rigging, speed lines and hauling applications.
- Certifications: ANSI Z359, NFPA 1983



# RESCUE EQUIPMENT

**JUNKIN**



## ➤ BREAK-AWAY PLASTIC STRETCHER

- Designed to rescue injured persons from locations where lengthy foot travel is mandatory
- The stretcher breaks into two halves which can be back-packed to the point of rescue and assembled in seconds
- Positive-locking quick-release pins secure two halves together.
- Includes four standard straps
- Dimensions: 84.5" L x 24" W x 7.5" H
- Weight: 32 lbs
- Load Capacity: 1200 lbs

**FERNO**



## ➤ MULE II LITTER WHEEL

- Single wheel design makes it ideal for narrow trails, allowing agility, versatility and ease of movement even in the roughest terrain
- The large, lightweight all-terrain wheel offers tracking ability and shock absorption for smooth and comfortable patient transport
- Fast ratchet securing system locks basket stretcher with two straps and two rubberized steel hooks
- Quick-release pins, each with a wire lanyard, lock into position with ease on each side of the handle
- Its unique uni-support design allows the wheel to be quickly and easily removed for compact storage and transport
- Features 8 handle adjustments

**SKEDCO**



## ➤ SKED® BASIC RESCUE SYSTEM

- Rescue stretcher for confined space, high angle or technical rescue, and traditional land based applications
- Comes equipped for horizontal hoisting by helicopter or vertical hoisting in caves or industrial confined spaces
- When the patient is packaged, the stretcher becomes rigid
- Durable plastic provides protection for the patient while allowing extrication through the most demanding confined spaces
- Available in "International Orange" and "O.D. Green" for military, S.W.A.T. and other tactical situations



# ICE & WATER RESCUE

## ▶ OCEANID RAPID DEPLOYMENT CRAFT (RDC)

- Standard package includes carrying bag, floor top carpet, repair kit, two paddles, paddle bag, tow strap assembly, & air fill manifold
- Upturned ends allow rescuers to glide boat's open end over victim's victim's head while remaining above water at all times
- Floor is open at each end, allowing two entry points
- The freeboard height is only inches, enabling a rescuer to easily pull a victim into the boat
- The RDC will store in a 2' cube, inflate in a heartbeat, and can easily be carried by one person
- Designed to withstand severe use conditions for many years and includes a 12 year warranty



## ▶ PICK-OF-LIFE ICE AWLS

- Pick-of-Life awls are for self-rescue, allowing you to crawl on top of the ice using the picks as traction
- Picks float on top of water and are bright orange in color for high visibility
- 4" long plastic handles each have a retractable sheath covering the 1" long picks making storage simple
- 5 1/4' cord that attaches the 2 handles has reflective ticking for low-light conditions



## ▶ NRS HAVOC HELMET

- DialFit system lets you quickly and easily adjust the fit to accommodate almost any head size
- Plush FIT pads in key contact points provide extra comfort
- Six ventilation/drainage ports let air in and water out
- ABS plastic shell is lightweight and durable
- Glued-in EVA foam liner offers excellent impact protection
- Fits head circumference 55-59cm (21.5"-23")
- Meets CE 1385 standards for whitewater safety

HELMET COLOR OPTIONS:



## ▶ EVAC EP220 GEAR PAK

- Made of 1000 Denier Cordura nylon and extra heavy webbing for strength and durability
- Protects your gear, and comes with a mesh window to aid in air circulation and drying
- Includes an internal pocket for gloves and other equipment
- One of the largest Gear Paks you can buy!
- Dimensions: 18" L x 18" W x 20" H



# ICE & WATER RESCUE



## 75' WATER RESCUE PROFESSIONAL THROW BAG

This self draining throw bag is designed for water rescue professionals to allow for maximum throwing efficiency and ease of re-loading even with a gloved hand. The 75' rope is 3/8" in diameter, floats, and has a minimum 2000 lb breaking strength with a nylon core and polypropylene, yellow and orange weave sheath. Measures a true 75' from knot end to knot end, making distance measuring much easier.



## WATER RESCUE ROPE

A highly buoyant rope provides rescue personnel with a range of options to meet their specific needs. Ideal for swift water, flood, and ice rescue applications.

- Sold by the meter
- Diameter: 7/16"



## INDUSTRIAL MESH PFD VEST

- Offers maximum visibility, mobility, cooling and comfort
- Mesh shoulders offers mobility and comfort
- Large front pockets with Velcro closure
- Side adjustment for dual sizing
- SOLAS reflective tape across the front and back of the vest



## SENTINEL™ SERIES

- Constant wear water rescue dry suit that is waterproof, breathable, and ideal for flood, swift water, and ice rescue
- Mobility Based Sizing offers a semi-custom fit without the custom price tag
- Rapid Repair Technology™ enables users to self-replace neck and wrist seals and repair small leaks in an hour or less
- Nylon reinforced elbows, knees, seat, and overcuffs
- Molded foam knee and elbow pads help prevent injury
- Integrated GORE-TEX® dry socks
- Two arm pockets and two thigh cargo pockets



## ICE COMMANDER™ RESCUE SUIT

Flotation and insulation performance of a zip-in buoyancy liner allows users to immerse for long periods of time in icy cold water and maintain mental and physical capabilities. Modular suit is completely waterproof with a watertight hood, integrated gloves, attached boots and flexible full-length zipper. Integrated chest harness allows attachment to tether lines, ice awl pockets for storage, rubber gloves, reinforced knees and non-slip rubber soles on the attached boots. Liner can be unzipped and removed for cleaning and in-the-field repairs



Trans-Care Rescue - Ice Rescue Training



# TRAFFIC SAFETY



## ▶ PI-LIT SEQUENTIAL ROAD FLARES PROFESSIONAL RECHARGEABLE



- Automatic synchronization of flares; no programming required
- 20+ hour runtime (flash pattern dependent)
- 4 flash patterns: 2 sequential, 1 simultaneous, 1 steady-burn
- Reverse the direction of the sequence with a push of the button
- "Pair mode" allows for multiple sets to be synchronized
- Dual purpose carrying case charges all flares at once
- 6 hour recharge time from completely depleted battery
- Kit sizes: 10 set, 6 set, 4 set
- Kit includes: Flares, carrying/charging case, vehicle plug, wall plug
- Also available in a Commuter Style set, powered by alkaline battery

### PI-LIT COLOR OPTIONS:



## ▶ MAGNETIC LED DIRECTION SIGN LED ARROW BOARD



- Widely used for transportation vehicles, safety marking at airports, heavy equipment, traffic control zones and municipal work vehicles
- Lighted Sign has visibility over 800 meters
- Lights will run for 2-3 days on continuous use
- Each reflective direction arrow includes 9 bright Amber LED light bulbs
- Easy On/Off power button located on front of the sign
- Includes black nylon bag; simply roll up and store
- Powered by 3 AA batteries
- Dimensions: 33" W x 17.5" H x 0.25" D
- Weight: 2.8 lbs



▶▶ EMAIL OUR SALES TEAM FOR PRICING INFO: [SALES@TRANS-CARERESCUE.COM](mailto:SALES@TRANS-CARERESCUE.COM)

## ▶ ULTRABRIGHT CLASS 2 PUBLIC SAFETY VESTS

- 6 Point breakaway
- Performance cut offers max comfort and allows access to bunker gear pockets or portable radio at waistline
- Chevron reflective pattern on front and back offers high visibility
- Meets ANSI/SEA 107-2020
- Standard imprints include: FIRE, EMS, POLICE & SHERIFF
- Custom imprints available

### VEST COLOR OPTIONS:



TRAFFIC SAFETY ZONE



## ▶ 16" TRAFFIC BATON WITH BRIGHT LED LIGHTS

- Water & shock resistant and come with a handle strap and metal belt clip
- Operates on two C-batteries (not included)
- 2 Light modes: On, Flashing
- Visible over 200 yards away
- Lifespan of up to 100,000 hours



Side #1



Side #2

## ▶ 18" STOP & SLOW PADDLE WITH BRIGHT LED LIGHTS

- High power white LEDs in lettering
- Rechargeable lithium ion battery
- 2 Light modes: On, Flashing
- Visible up to 1 mile away
- Lightweight and durable design
- Total weight: 2.1 lbs

## ▶ EMERGENCY RESPONDER COMPACT® SIGNS

- Permanently mounted to a foldable crossbrace
- Crossbracing is equipped with a single trigger release mechanism for easy deployment and take down
- Made from Reflexite® Super Bight material, signs are highly visible in daylight and headlights
- Available in 36" or 48" size
- Custom signage available



# LIGHTING



## ➤ **BREAKTHROUGH® BTS RIGHT ANGLE LIGHT**

- Low profile BTS provides a 500 lumen beam for cutting through smoke and illuminating the immediate surrounding area
- Meets NFPA 1971-8.6 (2013) fire resistant requirements
- Stainless steel clip in the back allows for hands-free use
- Waterproof up to 3 meters and impact resistant up to 7 meters
- 3 modes: High, Low, Flashing
- Outputs 100 - 500 lumens
- Operating temperature of -20° C to 149° C
- Runs on (4) AA batteries with a battery life of 3 - 12 hours



## ➤ **C-CLAMP SIDE MOUNTED HELMET LIGHT**

- Delivers a powerful 275 lumens focused beam and is best for use in structural firefighting along with rescue and industrial applications.
- Can be side mounted above or below the brim on most traditional & modern style firefighter helmets
- Impact resistant and meets NFPA fire resistant requirements
- Works in all-weather conditions and can be submerged underwater
- Features a strike bezel that is strong enough to shatter a car windshield
- Rear safety LED; on/off switch flashes green when the light is activated and can be seen from over 1200 feet away



## ➤ **COMMAND+ LOPRO WHITE & GREEN LED HELMET LIGHT**

- 3 modes: Low (32 lumens), Medium (78 lumens) & High (100 lumens)
- Low profile design enables most external 4" and 6" face shields to be raised and lowered without interference
- The combination of white and green LEDs offers improved depth perception, color rendition and smoke cutting ability
- Meets the requirements of NFPA 1971 when used with the silicone strap
- Rear red flashing LED in the battery pack can be seen from over 1 mile away
- Rechargeable or battery powered options available



## **RESPONDER RIGHT ANGLE**

Slim profile keeps light close to your body to prevent entanglement and outputs 220 lumens. Features a run time of 17-hrs and a smoke cutting beam. Runs off 6 AA batteries.



## **LIGHTHAWK LED GEN II**

Super lightweight, full size, rechargeable lantern. This lanterns' 447 meter reach will illuminate the dark reaches of a tunnel, down a railroad track, or explore a large cavernous building.



## **RAZOR**

Features a high mode of 325 lumens with a 7-hrs runtime and 125 lumen low mode for an extended runtime of 24-hrs. On high the light projects 236 meters and on low it reaches 167 meters.



## ➤ DUAL LED SENSOR HEADLIGHT (HL-8R)



- 475 lumen white LEDs
- Beam distance: 90 meters
- 60° rotational head
- Run time: 4 - 35 hours
- Side LEDs can be as a wide-angle flood light
- IK07 shock resistant, IP65 dust & water resistant
- Fully adjustable non-slip silicone lined headband included, as well as a Type C charging cable




## ➤ LED SIGNAL INSPECTION LIGHT (IL-SIG1)





- Super bright 1100 lumen white LEDs
- Beam distance: 61 meters
- Run time: 3.5 - 30 hours
- Includes additional 220 lumen white LED top torch
- Colored LEDs have static and flashing functions
- Magnetic hanging hook & multi-positional kickstand make it portable
- Red, Amber, Green LEDs for signaling with 4 independent switches for easy operation
- Fully weatherproof, rated to IP54 and is constructed of polycarbonate and die-cast aluminum
- Rechargeable; high quality DC-USB charging cable included



## ➤ FUSION-S GPL 49" LIGHTBAR

- 5 Customizable Color Options: Red, Blue, Amber, White, Green
- 40-Degree Optical Light Spread for Long-Range Visibility
- 4-Programmable Flood Modes: Front, Rear, Driver, & Passenger
- 15-Programmable Flash Patterns for Front & Rear Flashing
- 3-Programmable Brightness Levels: 10%, 50% & 100%
- Programmable Priority Flashing Modes for Front & Rear
- 4-Mounting Options: Permanent, Headache, Standard & Adjustable
- SAE, CT13, KKK, NFPA, ECE R65 Class 1 Certified



			
<p><b>T3 SURFACE MOUNT</b></p>	<p><b>FUSION-S SURFACE MOUNT</b></p>	<p><b>4200 DL CONTROLLER</b></p>	<p><b>BEACON AM600</b></p>
<p>T3 is fiercely bright, affordable and can be mounted almost anywhere on your vehicle. 14 flash patterns, including brake, tail and steady on. Five bracket options: Rotating, License Plate, Single L-Bracket, Double L-Bracket, Hood Bracket.</p>	<p>User configurable in red, blue, amber, white, and green, the Fusion-S offers the user a new and improved 40-degree optical light spread for long-range visibility. Flood mode, cruise mode, stop, turn and tail pattern compatible.</p>	<p>Universally compatible and fully programmable, the 4200 DL can control your vehicle's entire lighting and siren system. Connects easily to the Fenix StormPro Siren or Fusion Series lightbar by using one of three Datalink port.</p>	<p>Single-color SAE Class 1 Certified LED beacon with multiple mounting options and 20 flash patterns including single, double, triple, quint, rotating, reverse rotating, combos. Sync up to six units. Available colors are amber, red, blue, white and green.</p>



# TRAINING

## TRANS-CARE RESCUE LTD. HAS BEEN PROVIDING PROFESSIONAL TRAINING TO WESTERN CANADIAN FIRE DEPARTMENTS AND INDUSTRY SINCE 1981



### ▶ **TRAFFIC INCIDENT MANAGEMENT**

The goals of this program include training and following "Safe work procedures" as they are vital to protecting our lives at traffic incidents. Safe work procedures can reduce firefighter/responder deaths and injuries while operating at roadway incidents.

With distracted driving on the increase, driving too fast and unfavorable road conditions, safety is becoming something that requires a lot more training and practice. Emergency services across North America have been working to develop a unified traffic control plan.



### ▶ **EMERGENCY VEHICLE DEFENSIVE DRIVING**

Designed to teach defensive driving in emergency situations, stressing proper driver/vehicle control and driver awareness so as not to put themselves in a position of danger.

"Hands-on" intense practical focuses on driver/vehicle control, steering techniques, using evasive techniques to safely maneuver vehicles in emergency situations, collision avoidance, parking and backing techniques.


It is applicable to Fire, Ambulance, and Rescue personnel. The course is presented with emphasis on individual or agency's needs.



### ▶ **GRAIN BIN RESCUE**

This course is for Fire & Rescue Departments who may find themselves in a situation where they would respond to an incident, where the victim is trapped in a grain storage facility or other agricultural related confined space.

This specialized course covers training and techniques, Provincial/Federal OH&S regulations, CSA Standards and associated legislation pertaining to grain bin rescue. Participants will understand the physical and environmental hazards encountered by victims and rescuers during a grain bin rescue operation, as well as how to identify proper techniques to protect themselves and the casualty.



### ▶ **RURAL FIRE TECHNICAL ROPE RESCUE**

Upon completion students will be able to understand the Federal/Provincial OH&S Regulations, command structure and be able to develop standard operating procedures required for technical rope rescue situations.

During the practical portion of this course, students will be given technical rescue situations and will be required to demonstrate proper rigging techniques for basket stretcher, SKED device for horizontal, vertical lifts/lowers and more.



**DURATION: 16 HOURS**

## ▶ **SURFACE ICE RESCUE**

This course is designed for anyone involved in emergency services that may respond to a situation where someone has fallen through the ice or is in trouble in open water conditions.

Participants will cover scene assessments, rescue techniques and equipment, surface ice rescue field training, working on ice, ice/water safety equipment and practical on ice/in water training.

This course exceeds the Standards set in NFPA 1670 and 1006 Guidelines for Cold Water/Ice Rescue.



**DURATION: 20 HOURS**

## ▶ **SURFACE WATER RESCUE**

This course is designed to provide the knowledge to respond to a water rescue situation and perform a rescue expediently, safely and in an organized manner, at the NFPA 1006 and 1670 - Operations/Technician Level.

This intensive program includes classroom instruction and hands-on instruction in and on the water. Students are required to participate in all components of the course: lecture, practical and written. Students will assume both rescuers and victim roles during the practical.



**DURATION: 20 HOURS**

## ▶ **VEHICLE EXTRICATION (LEVEL I)**

Rescuers should be properly trained in the care, use and maintenance of their rescue equipment. Proper training ensures that rescuers and their equipment perform when they are needed. This course is designed to provide rescue personnel with the skills necessary to perform a vehicle extrication/rescue in a safe and expedient manner while using a variety of tools and techniques.

Utilizing the incident command system, students are given the opportunity to use extrication equipment in a safe and controlled environment under the guidance of a skilled, experienced instructor.



**DURATION: 20 HOURS**

## ▶ **VEHICLE EXTRICATION (HEAVY RESCUE)**

This course covers the subject of extrication, dealing with heavy motor vehicles including buses and trucks. Directed toward urban/rural agencies that are involved with vehicle rescue and have the potential to be involved in a heavy truck/bus extrication situation.

We believe in providing professional training with a real world perspective. Students are given advanced situations where heavy lifting and advanced extrication may be required. Students learn by performing hands on extrication with "real world" entrapment scenarios.

**CONTACT US TODAY TO SECURE YOUR TRAINING DATES**

**PHONE: (306) 283-4496 OR EMAIL: [RECEPTION@TRANS-CARERESCUE.COM](mailto:RECEPTION@TRANS-CARERESCUE.COM)**



**TRANS-CARE RESCUE : 1-800-71-RESCU**

*ESTABLISHED*  
*1981*



# **TRANS-CARE RESCUE LTD.**

Serving the Fire & Rescue Industry since 1981

## **➤ ADDRESS**

**225 SERVICE ROAD WEST  
P.O. BOX 559  
LANGHAM, SK S0K 2L0**

## **➤ CALL US**

**TOLL FREE: 1-800-717-3728  
LOCAL: (306) 283-4496**

## **➤ FIND US ONLINE**

**EMAIL: SALES@TRANS-CARERESCUE.COM  
WEBSITE: WWW.TRANS-CARERESCUE.COM**

